## Aluthermo®-Declaration of Performance QUATTRO

## **DECLARATION OF PERFORMANCE**

According Annex III of the Regulation (EU) No. 305/2011 amended by Commissions delegated Regulation (EU) No. 574/2014 No. 001-DoP-2015/02/01 acc. to EN standard 13984: 2013

1.	Unique identification code of the product-type:	Thin reflective insulation Aluthermo Quattro as vapour control layer.	
2.	Intended use:	Thin reflective insulation Aluthermo Quattro as vapour control layer for thermal insulated roof and wall constructions in buildings.	
3.	Manufacturer:	Aluthermo SA Steinkelt, Galhausen 23 B-4780 Saint Vith Belgium	
4.	Systems of AVCP:	System 3	
5.	Harmonised standard:	EN 13984/ 2013	
6.	Notified body:	Notified testing laboratory No. 1301, Technický a skúšobný ústav stavebný, n.o., Bratislava, Slovak Republic	

## 7. Declared performances:

ESSENTIAL CHARACTERISTICS	PERFORMANCE	SYSTEMS OF AVCP	HARMONIZED TECHNICAL SPECIFICATION
Water tightness	watertight at 2kPa		
Durability of water vapour resistance after artificial ageing	pass		
Tear resistance in longitudinal direction	≥ 140 N		
Tear resistance in transverse direction	≥ 180 N	System 3	
Water vapour resistance	(> 33000 +- 7000) (m².s.Pa)/kg		EN 13984: 2013
Tensile strength in longitudinal direction	≥ 350 N/50 mm		
Tensile strength in transverse direction	≥ 350 N/50 mm		
Elongation in longitudinal direction	≥ 20 %		
Elongation in transverse direction	≥ 10 %		
Reaction to fire	NPD	-	

The performance of the product identified above is in conformity with the set of declared performances.

This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

In Saint Vith on 6 March 2023

EFFECTIVE. THIN. EASY TO INSTALL.

Lambert Jakobs General Manager Aluthermo SA